


HiB

MAKING
BATHROOMS
BEAUTIFUL

**Technical Drawing &
FAQ Data Sheets**




Atrium 50
Atrium 60
Atrium 80

HiB recommend you receive the product before commencing with installation as all sizes and measurements are approximate.
 HiB try and ensure all measurements are as accurate as possible.
 In the interest of continuous product development, HiB reserves the right to alter specification as necessary. E & OE.


Atrium 50

Art no. 53000



Atrium 60

Art no. 53100



Electrical Safety Information


HiB recommends that all electrical bathroom products should only be fitted by a suitably qualified, Part P registered electrician in accordance with current IEE regulations.

- Ensure mains power supply is switched off before starting installation.
- Before drilling, ensure there are no hidden cables or pipes in the wall.

HiB recommend you receive the product before commencing with installation as all sizes and measurements are approximate.
HiB try and ensure all measurements are as accurate as possible.
In the interest of continuous product development, HiB reserves the right to alter specification as necessary. E & OE.

Atrium 80

Art no. 53200




Electrical Safety Information

HiB recommends that all electrical bathroom products should only be fitted by a suitably qualified, Part P registered electrician in accordance with current IEE regulations.

2. Ensure mains power supply is switched off before starting installation.
Before drilling, ensure there are no hidden cables or pipes in the wall.

Atrium

50, 60 & 80

		Version No. 10.12.19
	Product	Atrium 50, Atrium 60 & Atrium 80
	Art. No.	Atrium 50: 53000 / Atrium 60: 53100 / Atrium 80: 53200
	Product Description	Semi-recessed illuminated mirror cabinet.

Question	Answer
Nett weight (kg)	Atrium 50: 15kg / Atrium 60: 18kg / Atrium 80: 22kg
Light Source	LED
Light Source Average Lifespan	Average: 26,280hr
Total Rated Wattage (W)	Atrium 50: 56w / Atrium 60: 59w / Atrium 80: 70w
Lumens (Lm)	Atrium 50: 3000lm / Atrium 60: 3500lm / Atrium 80 4000lm
Kelvins (k)	Atrium 50, 60 & 80: 3000 - 6000k
Is the mirror dimmable?	No
Energy Rating	A Class
What orientation can the mirror be hung in?	Portrait
Is the heated pad only on when the mirror is illuminated?	Yes
Does the mirror require an earth connection?	Yes
Can I bypass the sensor so the mirror comes on with the main room light?	No
Is it cool white or warm white illumination?	Both, the mirror is colour temperature changing
How long is the warranty?	5 years from date of purchase on silvering coating on mirror 2 years from date of purchase on electrical components in the mirror

Electrical Safety Information

HiB recommends that all electrical bathroom products should only be fitted by a suitably qualified, Part P registered electrician in accordance with current IEE regulations.

Ensure mains power supply is switched off before starting installation.

Before drilling, ensure there are no hidden cables or pipes in the wall.

HiB recommend you receive the product before commencing with installation as all sizes and measurements are approximate.

HiB try and ensure all measurements are as accurate as possible.

In the interest of continuous product development, HiB reserves the right to alter specification as necessary. E & OE.