

MAKING BATHROOMS BEAUTIFUL Technical Drawing & FAQ Data Sheets


Globe 45 Globe 50 Globe 60 Globe 90 Globe 120 Globe 140


R170104 Ver No. 1.0 Jan 2018

HiB recommend you receive the product before commencing with installation as all sizes and measurements are approximate. HiB try and ensure all measurements are as accurate as possible.

In the interest of continuous product development, HiB reserves the right to alter specification as necessary. E & OE.

Globe 45





Electrical Safety Information

HiB recommends that all electrical bathroom products should only be fitted by a suitably qualified, Part P registered electrician in accordance with current IEE regulations.


Ensure mains power supply is switched off before starting installation.

Before drilling, ensure there are no hidden cables or pipes in the wall.


HiB recommend you receive the product before commencing with installation as all sizes and measurements are approximate. HiB try and ensure all measurements are as accurate as possible.

In the interest of continuous product development, HiB reserves the right to alter specification as necessary. E & OE.

Globe 60



Globe 90



Electrical Safety Information

HiB recommends that all electrical bathroom products should only be fitted by a suitably qualified, Part P registered electrician in accordance with current IEE regulations.


Ensure mains power supply is switched off before starting installation.

Before drilling, ensure there are no hidden cables or pipes in the wall.


HiB recommend you receive the product before commencing with installation as all sizes and measurements are approximate. HiB try and ensure all measurements are as accurate as possible.

In the interest of continuous product development, HiB reserves the right to alter specification as necessary. E & OE.

Globe 120



Globe 140



Electrical Safety Information

HiB recommends that all electrical bathroom products should only be fitted by a suitably qualified, Part P registered electrician in accordance with current IEE regulations.

Ensure mains power supply is switched off before starting installation.

Before drilling, ensure there are no hidden cables or pipes in the wall.

Globe 45, 50, 60, 90, 120 & 140

		Version No. 04.01.18
	Product	Globe 45, Globe 50, Globe 60, Globe 90, Globe 120 & Globe 140
	Art. No.	Globe 45: 78400000, Globe 50: 78500000, Globe 60: 78600000 Globe 90: 78610000, Globe 120: 78700000 & Globe 140: 78710000
	Product Description	The Globe mirror offers a beautiful LED ambient effect making your bathroom glow.

Question	Answer
Nett weight (kg)	Globe 45: 6.75kg / Globe 50: 6.55kg / Globe 60: 8.35kg / Globe 90: 8.9kg Globe 120: 12.3kg / Globe 140: 14.6kg
Light Source	LED
Light Source Average Lifespan	Average: 20,000 hr
Total Rated Wattage (W)	Globe 45: 39.7w / Globe 50: 38.8m / Globe 60: 58.4w / Globe 90: 59.3w Globe 120: 100.6w / Globe 140: 104.2w
Lumens (Lm)	Globe 45: 1932lm / Globe 50: 1848lm / Globe 60: 2184lm / Globe 90: 2268lm Globe 120: 2856lm / Globe 140: 3192lm
Kelvins (k)	All Globe mirrors are 2800k to 6400k
Is the mirror dimmable?	No
Energy Rating	A Class
What orientation can the mirror be hung in?	All Globe mirrors can be hung portrait or landscape
Is the heated pad only on when the mirror is illuminated?	Yes
Does the mirror require an earth connection?	Yes
Can I bypass the sensor so the mirror comes on with the main room light?	No
Is it cool white or warm white illumination?	Both all Globe mirrors are colour temperature changing
How long is the warranty?	5 years from date of purchase on silvering coating on mirror 2 years from date of purchase on electrical components in the mirror

Electrical Safety Information

HiB recommends that all electrical bathroom products should only be fitted by a suitably qualified, Part P registered electrician in accordance with current IEE regulations.

Ensure mains power supply is switched off before starting installation.

Before drilling, ensure there are no hidden cables or pipes in the wall.

HiB recommend you receive the product before commencing with installation as all sizes and measurements are approximate. HiB try and ensure all measurements are as accurate as possible. In the interest of continuous product development, HiB reserves the right to alter specification as necessary. E & OE.