

# YOUNG 2.0 2GS+F

BI-FOLD ENCLOSURE (MINIMAL)



**CORNER SOLUTION, 1 HINGED FOLDING DOOR + SIDE PANEL**  
**CAN ONLY BE COMBINED WITH THE SIDE PANEL (FG) IN THIS PAGE**

Dimensions					Code	Left	Right	Glass			Profile type	
Size	Actual dimensions	Access	Projection			S-	D-	1	2	4	B	K
	A	*	B	B1				Clear	Aqua	Satin	Silver	Chrome

## DOOR

### STANDARD

70	66 ↔ 68	57	57	27,6	Y22GS65L	S-	D-					
76	74 ↔ 76	65	65	31,6	Y22GS73L	S-	D-	●				
80	76 ↔ 78	67	67	32,6	Y22GS75L	S-	D-	●				
90	86 ↔ 88	77	77	37,6	Y22GS85L	S-	D-	●				
100	96 ↔ 98	87	87	42,6	Y22GS95L	S-	D-	●				
110	106 ↔ 108	97	97	47,6	Y22GS105L	S-	D-	●				
120	116 ↔ 118	107	107	52,6	Y22GS115L	S-	D-	●				

### OTHER SIZES

◇	58 ↔ 60	49	49	23,6	Y22GS57L	S-	D-					
◇	60 ↔ 62	51	51	24,6	Y22GS59L	S-	D-					
◇	68 ↔ 70	59	59	28,6	Y22GS67L	S-	D-	●				
◇	70 ↔ 72	61	61	29,6	Y22GS69L	S-	D-	●				
◇	78 ↔ 80	69	69	33,6	Y22GS77L	S-	D-	●				
◇	80 ↔ 82	71	71	34,6	Y22GS79L	S-	D-	●				
◇	88 ↔ 90	79	79	38,6	Y22GS87L	S-	D-	●				
◇	90 ↔ 92	81	81	39,6	Y22GS89L	S-	D-	●				
◇	98 ↔ 100	89	89	43,6	Y22GS97L	S-	D-	●				
◇	100 ↔ 102	91	91	44,6	Y22GS99L	S-	D-	●				
◇	118 ↔ 120	109	109	53,6	Y22GS117L	S-	D-	●				
◇	120 ↔ 122	111	111	54,6	Y22GS119L	S-	D-	●				

## SIDE PANEL

	F						Clear	Aqua	Satin	Silver	Chrome
--	---	--	--	--	--	--	-------	------	-------	--------	--------

### STANDARD


70	67 ↔ 69	◇	◇	◇	Y2FG67-		●				
76	73 ↔ 75	◇	◇	◇	Y2FG73-		●				
80	77 ↔ 79	◇	◇	◇	Y2FG77-		●				
90	87 ↔ 89	◇	◇	◇	Y2FG87-		●				
100	97 ↔ 99	◇	◇	◇	Y2FG97-		●				
120	117 ↔ 119	◇	◇	◇	Y2FG117-		●				

### OTHER SIZES

◇	57 ↔ 59	◇	◇	◇	Y2FG57-		●				
◇	59 ↔ 61	◇	◇	◇	Y2FG59-		●				
◇	61 ↔ 63	◇	◇	◇	Y2FG61-	◇	◇				
◇	65 ↔ 67	◇	◇	◇	Y2FG65-		●				
◇	69 ↔ 71	◇	◇	◇	Y2FG69-		●				
◇	75 ↔ 77	◇	◇	◇	Y2FG75-		●				
◇	79 ↔ 81	◇	◇	◇	Y2FG79-		●				
◇	85 ↔ 87	◇	◇	◇	Y2FG85-		●				
◇	89 ↔ 91	◇	◇	◇	Y2FG89-		●				
◇	95 ↔ 97	◇	◇	◇	Y2FG95-		●				
◇	99 ↔ 101	◇	◇	◇	Y2FG99-		●				
◇	119 ↔ 121	◇	◇	◇	Y2FG119-		●				

\* H 140 ↓ 200 L 20 ↔ 120 SPECIAL Y2FGSP

\* Special side panel must be ordered the same height as the door



## OPTIONAL



**Easy hold replacement seal**  
 Additional internal door hand-grip formed from clear plastic to replace original seal

Code  

**R50ABN2GS1-TR**

● IN STOCK UK

(Other products) please check availability

See page 117 for the technical drawings of the Young 2.0 range

Construction of the Code:   Code +   Glass +   Profile = Final product Code



## OPTIONAL



### Support bar

chrome finish

Dimensions	Code
15 cm	<b>R80LOU150-K</b>
25 cm	<b>R80LOU250-K</b>
35 cm	<b>R80LOU350-K</b>
45 cm	<b>R80LOU450-K</b>



### Support bar 150 cm length

Profile	Code
Silver	<b>R80Y215-B</b>
Chrome	<b>R80Y215-K</b>



### Adjustable bar kit


- 1 adjustable bar of 100 cm (shortened)
- wall attachment
- 1 glass clamp

Profile	Code
Silver	<b>R80KUOR100-B</b>
Chrome	<b>R80KUOR100-K</b>



### "T" bar kit

support bar of 150 cm to match with the supplied bar for T solution



Profile	Code
Silver	<b>R80Y215T-B</b>
Chrome	<b>R80Y215T-K</b>



### EVO fixing system

- 1 front bar of 180 cm
- 1 side bar of 120 cm
- 2 clamps
- 1 angular union


Profile	Code
Silver	<b>KUADHSF-B</b>
Chrome	<b>KUADHSF-K</b>



### EVO fixing system (for recess version)


- 1 front bar of 180 cm
- 1 clamp

Profile	Code
Silver	<b>KUADHSFN-B</b>
Chrome	<b>KUADHSFN-K</b>



Deep seal when installed without the supplied threshold trim on a tiled or vinyl floor

Code
<b>R51BOMO1-TR</b>



### Easy hold replacement seal

Additional internal door hand-grip formed from clear plastic to replace original seal suitable for Young 1BS and 2GS models


Code
<b>R50ABN2GS1-TR</b>

## TECHNICAL DATA

### GLASS TYPES (European standards UNI EN 14428)



**Clear**  
COD. 1



**Aqua**  
COD. 2



**Satin**  
COD. 4

### HANDLES



**Chromed metal handles**

### PROFILE COLOURS




**Silver**  
COD. B




**Chrome**  
COD. K

### OVERALL DIMENSIONS FIXING PROFILES



#### Standard profile

Height	Profile	Code
1984	Silver	<b>P01BNMOBST-B</b>
	Chrome	<b>P01BNMOBST-K</b>
2000	Silver	<b>P01BNMOAST-B</b>
	Chrome	<b>P01BNMOAST-K</b>





#### 15mm + Extension profile


Height	Profile	Code
1984	Silver	<b>P05Y2ST-B</b>
	Chrome	<b>P05Y2ST-K</b>
2000	Silver	<b>P05Y2ST2-B</b>
	Chrome	<b>P05Y2ST2-K</b>

For more information about profiles, see page 260

### HOW TO TAKE THE MEASUREMENTS




Take the measurements from wall to the external edge of the shower tray. Dimensions must be taken once the walls are finished and tiled, according to the above drawings.



Take the measurements from wall to wall at the bottom, at the top, in the middle and use the smallest. Dimensions must be taken once the walls are finished and tiled, according to the above drawings.

# TECHNICAL DRAWINGS




## YOUNG 2.0 G+F

Code	C	D
Y2G57-	57-59	55,4-57,4
Y2G59-	59-61	57,4-59,4
Y2G61-	61-63	59,4-61,4
Y2G65-	65-67	63,4-65,4
Y2G67-	67-69	65,4-67,4
Y2G69-	69-71	67,4-69,4
Y2G72-	72-74	70,4-72,4
Y2G74-	74-76	72,4-74,4
Y2G77-	77-79	75,4-77,4
Y2G79-	79-81	77,4-79,4
Y2G85-	85-87	83,4-85,4
Y2G87-	87-89	85,4-87,4
Y2G89-	89-91	87,4-89,4
Y2G95-	95-97	93,4-95,4
Y2G97-	97-99	95,4-97,4
Y2G99-	99-101	97,4-99,4


## YOUNG 2.0 F

Code	A	B
Y2FG57-	57-59	55,4-57,4
Y2FG59-	59-61	57,4-59,4
Y2FG61-	61-63	59,4-61,4
Y2FG65-	65-67	63,4-65,4
Y2FG67-	67-69	65,4-67,4
Y2FG69-	69-71	67,4-69,4
Y2FG73-	73-75	71,4-73,4
Y2FG75-	75-77	73,4-75,4
Y2FG77-	77-79	75,4-77,4
Y2FG79-	79-81	77,4-79,4
Y2FG85-	85-87	83,4-85,4
Y2FG87-	87-89	85,4-87,4
Y2FG89-	89-91	87,4-89,4
Y2FG95-	95-97	93,4-95,4
Y2FG97-	97-99	95,4-97,4
Y2FG99-	99-101	97,4-99,4
Y2FG117-	117-119	115,4-117,4
Y2FG119-	119-121	117,4-119,4



## YOUNG 2.0 2G

Code	C	D
Y22G57	57-59	55,4-57,4
Y22G59	59-61	57,4-59,4
Y22G61	61-63	59,4-61,4
Y22G65	65-67	63,4-65,4
Y22G67	67-69	65,4-67,4
Y22G69	69-71	67,4-69,4
Y22G72	72-74	70,4-72,4
Y22G74	74-76	72,4-74,4
Y22G77	77-79	75,4-77,4
Y22G79	79-81	77,4-79,4
Y22G85	85-87	83,4-85,4
Y22G87	87-89	85,4-87,4
Y22G89	89-91	87,4-89,4
Y22G95	95-97	93,4-95,4
Y22G97	97-99	95,4-97,4
Y22G99	99-101	97,4-99,4




## YOUNG 2.0 2B+F2B

Code	C	D
Y22B57-	58-62	56,6-60,4
Y22B63-	64-68	62,6-66,4
Y22B67-	68-72	66,6-70,4
Y22B71-	72-76	70,6-74,4
Y22B73-	74-78	72,6-76,4
Y22B77-	78-82	76,6-80,4
Y22B83-	84-88	82,6-86,4
Y22B87-	91-95	86,6-90,4
Y22B93-	94-98	92,6-96,4
Y22B97-	98-102	96,6-100,4
Y22B103-	104-108	102,6-106,4
Y22B107-	108-112	106,6-110,4
Y22B113-	114-118	112,6-116,4
Y22B117-	118-122	116,6-120,4
Y22B137-	138-142	136,6-140,4
Y22B147-	148-152	146,6-150,4
Y22B157-	158-162	156,6-160,4
Y22B167-	168-172	166,6-170,4
Y22B177-	178-182	176,6-180,4

## YOUNG 2.0 F2B

Code	C	D
Y2F2B57-	57-59	55,4-57,4
Y2F2B59-	59-61	57,4-59,4
Y2F2B65-	56-58	54,4-56,4
Y2F2B67-	67-69	65,4-67,4
Y2F2B69-	82-86	67,4-69,4
Y2F2B73-	73-75	71,4-73,4
Y2F2B75-	92-96	73,4-75,4
Y2F2B77-	77-79	75,4-77,4
Y2F2B79-	79-81	77,4-79,4
Y2F2B85-	85-87	83,4-85,4
Y2F2B87-	87-89	85,4-87,4
Y2F2B89-	89-91	87,4-89,4
Y2F2B95-	95-97	93,4-95,4
Y2F2B97-	97-99	95,4-97,4
Y2F2B99-	99-101	97,4-99,4
Y2F2B117-	117-119	115,4-117,4
Y2F2B119-	119-121	117,4-119,4

# TECHNICAL DRAWINGS




## YOUNG 2.0 1B+F1B

Code	C	D
Y21B57-	58-62	56,4-60,4
Y21B67-	68-72	66,4-70,4
Y21B72-	73-77	71,4-75,4
Y21B77-	78-82	76,4-80,4
Y21B82-	83-87	81,4-85,4
Y21B87-	88-92	86,4-90,4
Y21B92-	93-97	91,4-95,4
Y21B97-	98-102	96,4-100,4


## YOUNG 2.0 F1B

Code	A	B
Y2F1B57-	57-59	55,4-57,4
Y2F1B59-	59-61	57,4-59,4
Y2F1B65-	65-67	63,4-65,4
Y2F1B67-	67-69	65,4-67,4
Y2F1B69-	69-71	67,4-69,4
Y2F1B73-	73-75	71,4-73,4
Y2F1B75-	75-77	73,4-75,4
Y2F1B77-	77-79	75,4-77,4
Y2F1B79-	79-81	77,4-79,4
Y2F1B85-	85-87	83,4-85,4
Y2F1B87-	87-89	85,4-87,4
Y2F1B89-	89-91	87,4-89,4
Y2F1B95-	95-97	93,4-95,4
Y2F1B97-	97-99	95,4-97,4
Y2F1B99-	99-101	97,4-99,4
Y2F1B117-	117-119	115,4-117,4
Y2F1B119-	119-121	117,4-119,4



## YOUNG 2.0 2GS

Code	A	B
Y22GS57L	57-59	55,4-57,4
Y22GS59L	59-61	57,4-59,4
Y22GS65L	65-67	63,4-65,4
Y22GS67L	67-69	65,4-67,4
Y22GS69L	69-71	67,4-69,4
Y22GS73L	73-75	71,4-73,4
Y22GS75L	75-77	73,4-75,4
Y22GS77L	77-79	75,4-77,4
Y22GS79L	79-81	77,4-79,4
Y22GS85L	85-87	83,4-85,4
Y22GS87L	87-89	85,4-87,4
Y22GS89L	89-91	87,4-89,4
Y22GS95L	95-97	93,4-95,4
Y22GS97L	97-99	95,4-97,4
Y22GS99L	99-101	97,4-99,4
Y22GS105L	105-107	103,4-105,4
Y22GS115L	115-117	113,4-115,4
Y22GS117L	117-119	115,4-117,4
Y22GS119L	119-121	117,4-119,4



## YOUNG 2.0 2GS+F


Code	C	D
Y22GS57L	58-60	56,4-58,4
Y22GS59L	60-62	58,4-60,4
Y22GS65L	66-68	64,4-66,4
Y22GS67L	68-70	66,4-68,4
Y22GS69L	70-72	68,4-70,4
Y22GS73L	74-76	72,4-74,4
Y22GS75L	76-78	74,4-76,4
Y22GS77L	78-80	76,4-78,4
Y22GS79L	80-82	78,4-80,4
Y22GS85L	86-88	84,4-86,4
Y22GS87L	88-90	86,4-88,4
Y22GS89L	90-92	88,4-90,4
Y22GS95L	96-98	94,4-96,4
Y22GS97L	98-100	96,4-98,4
Y22GS99L	100-102	98,4-100,4
Y22GS105L	106-108	104,4-106,4
Y22GS115L	116-118	114,4-116,4
Y22GS117L	118-120	116,4-118,4
Y22GS119L	120-122	118,4-120,4

## YOUNG 2.0 F

Code	A	B
Y2FG57-	57-59	55,4-57,4
Y2FG59-	59-61	57,4-59,4
Y2FG61-	61-63	59,4-61,4
Y2FG65-	65-67	63,4-65,4
Y2FG67-	67-69	65,4-67,4
Y2FG69-	69-71	67,4-69,4
Y2FG73-	73-75	71,4-73,4
Y2FG75-	75-77	73,4-75,4
Y2FG77-	77-79	75,4-77,4
Y2FG79-	79-81	77,4-79,4
Y2FG85-	85-87	83,4-85,4
Y2FG87-	87-89	85,4-87,4
Y2FG89-	89-91	87,4-89,4
Y2FG95-	95-97	93,4-95,4
Y2FG97-	97-99	95,4-97,4
Y2FG99-	99-101	97,4-99,4
Y2FG117-	117-119	115,4-117,4
Y2FG119-	119-121	117,4-119,4



# TECHNICAL DRAWINGS




## YOUNG 2.0 1BS+F1B

Code	C	D
Y21BS57	58-62	56,4-60,4
Y21BS67	68-72	66,4-70,4
Y21BS72	73-77	71,4-75,4
Y21BS77	78-82	76,4-80,4
Y21BS82	83-87	81,4-85,4
Y21BS87	88-92	86,4-90,4
Y21BS94	95-99	93,4-97,4
Y21BS97	98-102	96,4-100,4
Y21BS107	107-112	106,4-110,4
Y21BS117	118-122	116,4-120,4


## YOUNG 2.0 F1B

Code	A	B
Y2F1B57-	57-59	55,4-57,4
Y2F1B59-	59-61	57,4-59,4
Y2F1B65-	65-67	63,4-65,4
Y2F1B67-	67-69	65,4-67,4
Y2F1B69-	69-71	67,4-69,4
Y2F1B73-	73-75	71,4-73,4
Y2F1B75-	75-77	73,4-75,4
Y2F1B77-	77-79	75,4-77,4
Y2F1B79-	79-81	77,4-79,4
Y2F1B85-	85-87	83,4-85,4
Y2F1B87-	87-89	85,4-87,4
Y2F1B89-	89-91	87,4-89,4
Y2F1B95-	95-97	93,4-95,4
Y2F1B97-	97-99	95,4-97,4
Y2F1B99-	99-101	97,4-99,4
Y2F1B117-	117-119	115,4-117,4
Y2F1B119-	119-121	117,4-119,4



## YOUNG 2.0 A

Code	F	A	B
Y2A57L-	27	57-59	55,4-57,4
Y2A59L-	27	59-61	57,4-59,4
Y2A61L-	27	61-63	59,4-61,4
Y2A65L-	27	65-67	63,4-65,4
Y2A67L-	27	67-69	65,4-67,4
Y2A69L-	27	69-71	67,4-69,4
Y2A73L-	35	73-75	71,4-73,4
Y2A75L-	35	75-77	73,4-75,4
Y2A77L-	35	77-79	75,4-77,4
Y2A79L-	35	79-81	77,4-79,4
Y2A85L-	43	85-87	83,4-85,4
Y2A87L-	43	87-89	85,4-87,4
Y2A89L-	43	89-91	87,4-89,4
Y2A95L-	43	95-97	93,4-95,4
Y2A97L-	43	97-99	95,4-97,4
Y2A99L-	43	99-101	97,4-99,4



## YOUNG 2.0 GFL+F1B

Code	F	C	D
Y2GFL97	32,5	98-102	96,4-100,4
Y2GFL107	42,5	108-112	106,4-110,4
Y2GFL114	39,5	115-119	113,4-117,4
Y2GFL117	42,5	118-122	116,4-120,4
Y2GFL134	49,5	135-139	133,4-137,4
Y2GFL137	52,5	138-142	136,4-140,4
Y2GFL147	52,5	148-153	146,4-150,4
Y2GFL154	59,5	155-159	153,4-157,4
Y2GFL157	62,5	158-162	156,4-160,4
Y2GFL164	69,5	165-169	163,4-167,4
Y2GFL167	72,5	168-172	166,4-170,4
Y2GFL177	82,5	178-182	176,4-180,4

## YOUNG 2.0 F1B

Code	A	B
Y2F1B57-	57-59	55,4-57,4
Y2F1B59-	59-61	57,4-59,4
Y2F1B65-	65-67	63,4-65,4
Y2F1B67-	67-69	65,4-67,4
Y2F1B69-	69-71	67,4-69,4
Y2F1B73-	73-75	71,4-73,4
Y2F1B75-	75-77	73,4-75,4
Y2F1B77-	77-79	75,4-77,4
Y2F1B79-	79-81	77,4-79,4
Y2F1B85-	85-87	83,4-85,4
Y2F1B87-	87-89	85,4-87,4
Y2F1B89-	89-91	87,4-89,4
Y2F1B95-	95-97	93,4-95,4
Y2F1B97-	97-99	95,4-97,4
Y2F1B99-	99-101	97,4-99,4
Y2F1B117-	117-119	115,4-117,4
Y2F1B119-	119-121	117,4-119,4