


ROSE G

PIVOT SHOWER DOOR



Dimensions				Code	Glass		Profile	
Size	Actual size		Access		1	4	B	K
	A	B	*		Clear	Satin	Silver	Chrome
70	66↔72	47	46	ROSEG66-	●			
76/80	72↔78	53	52	ROSEG72-	●			
80	78↔84	59	58	ROSEG78-	●			
90	84↔90	66	65	ROSEG84-	●			
-	90↔96	71	70	ROSEG90-	●			
100	96↔102	77	76	ROSEG96-	●			





GLASS TYPE



Clear
code 1



Satin
code 4

PROFILE COLOURS



Silver
code B



Chrome
code K

TECHNICAL DATA

PROFILE COLOURS



Silver
code B

Chrome
code K



GLASS TYPE 6 mm (European Standards UNI EN 14428)



Clear
code 1



Satin
code 4

HANDLES



Crystal handle
Interaxis 256 mm

OPTIONAL



Crystal handle



Chromed metal handle




Chromed metal handle




Chromed metal handle

OVERALL DIMENSIONS FIXING PROFILES




WALL
R - PHB - PH+F - A

Perfis	Code
White	P01BEAST-A
Silver	P01BEAST-B
Chrome	P01BEAST-K




WALL
2A - B - 3P - G - S - 2M - 2P

Perfis	Code
White	P01BEGST-A
Silver	P01BEGST-B
Chrome	P01BEGST-K



EXTENSION
R - PHB - PH+F - A



Perfis	Code
White	P05ROSST-A
Silver	P05ROSST-B
Chrome	P05ROSST-K




EXTENSION
2A - B - 3P - G - S - 2M - 2P

Perfis	Code
White	P05ROSCST-A
Silver	P05ROSCST-B
Chrome	P05ROSCST-K

HOW TO TAKE THE MEASUREMENTS



Take the measurements from wall to the external edge of the shower tray. Dimensions must be taken once the walls are finished and tiled, according to the above drawings.



Take the measurements from wall to wall at the bottom, at the top, in the middle and use the smallest. Dimensions must be taken once the walls are finished and tiled, according to the above drawings.