

RAK-SENSATION



RAK
CERAMICS

ICONS

TECHNICAL INFORMATION

Informazioni Tecniche
Informations Techniques
Technische Informationen
Техническая информация

	WASH BASIN Lavabo Lavabo Lavabo Waschbecken Раковина
	FREE STANDING WASH BASIN Lavabo free standing Lavabo freestanding lavamanos free standing Freistehendes Waschbecken Напольная раковина
	CLOSE COUPLED WATER CLOSET WC monoblocco WC monobloc Inodoro monoblock Tiefspül WC Унитаз-компакт
	WATER CLOSET WC WCs Inodoro Wasserklosett Унитаз
	SEAT AND COVER Sedile e coperchio Siège et couvercle Asiento y tapa Sitz und Deckel Сиденье и крышка
	BIDET Bidet Bidet BIDÉ Bidés виде
	BACK TO WALL CLOSE COUPLED WC WC monoblocco a filo muro WC monobloc posé au sol WC bloqué au ras de la pared Rückwandmontage Tiefspül WC Пристенный унитаз-компакт
	BACK TO WALL WC WC a filo muro WC posé au sol WC al ras de la pared Rückwandmontage WC Пристенный унитаз
	WALL HUNG WC WC sospeso WC contre le mur WC suspendido Wandhängendes WC Подвесной унитаз
	BACK TO WALL BIDET Bidet a filo muro Bidet contre le mur Bidet al ras de la pared Rückwandmontage Bidet Пристенное биде
	WALL HUNG BIDET Bidet sospeso Bidet suspendu au mur Bidet suspendido Wandhängendes Bidet Подвесное биде
	TOUCHLESS FLUSHING Sistemi di risciacquo touchless Rincage sans contact Enrojecimiento sin contacto Berührungslose Spülung Бесконтактный смыв

	P-TRAP A parete Murale A pared P-Falle Сифон с горизонтальным отводом
	S-TRAP A terra Au sol A piso S-Falle Сифон с вертикальным отводом

	COUNTER TOP WASH BASIN Lavabo da appoggio Lavabo sur comptoir Encimera del lavamanos Aufgesetztes Waschbecken настольная раковина на столешнице
	COUNTER TOP SLAB+BOWL Piano d'appoggio + ciotola Plan + vasque à poser Encimera+lavabo de apoyo Platte + Aufsatzwaschbecken Цельнолитая столешница + чаша
	WALL HUNG WASH BASIN Lavabo sospeso Lavabo suspendu au mur lavamanos suspendido Eingesetztes Waschbecken Подвесная раковина

	QUICK RELEASE Montaggio rapido A Démontage rapide Abierto detrás Abnehmbar Быстроустанавливаемое
	WATER SUPPLY Allaccio idrico Arrivée d'eau Suministro ed agua Wasserzulauf Подача воды

	BOTTLE TRAP Sifone Siphon Sifón Siphon Бутылочный сифон
	SPRAY DOUCHE SET Doccetta bidet Bidet-douche Ducha bidet Duschbidet Душ-биде

	COMPATIBLE WITH 4.5L DUAL FLUSHING. FACTORY SETTING IS 6L Compatibile con doppio scarico 4.5L. Preconfigurato a 6L. Compatibile avec le système de double chasse à 4.5 litres. Calibrage de fabrication 6 litres. compatibile con doble descarga 4.5L. Ajuste de fábrica configurado a 6 L. Kompatibel mit dem Spülregulierungssystem mit 4.5 Liter. Herstellereinstellung 6 Liter Заездная настройка смыва 4.5 литров. Возможна настройка двойного смыва 4.5 литра.
	HIDDEN FIXATIONS Fissaggio nascosto Fixation invisible Fijaciones ocultas Versteckte Festigung Скрытая фиксация
	COMFORT HEIGHT 42 CM Altezza comfort 42 cm Cuvette wc hauteur 42 cm Altura de confort 42 CM Komfortable Höhe 42 cm Оптимальная высота 42 см
	BACK OPEN Apertura posteriore Cuvette wc non addossée au mur Abierto detrás Rückseite Offen Открыта задняя часть
	INSPECTIONABLE Ispezionabile Possibilité d'ouverture pour vérification Inspecionable Möglichkeit der öffnung zur weiteren Kontrolle Возможность визуального контроля

All ceramic cistern codes refer to bottom inlet version; all washbasin codes refer to one tap hole version, unless differently specified.

Tutti i codici per le cisterne si riferiscono alla versione con carico dal basso; tutti i codici dei lavabi si riferiscono alla versione con un foro, se non diversamente specificato

l'entrée de l'eau de tous les réservoirs pour nos wc monobloc, etc positionnée dans la partie inférieure; tous nos lavabos sont prévus avec un seul trou pour les robinets (sauf spécification différente)

Alle Zuläufe für den Spülkasten befinden sich im unteren Bereich des WC's; Alle Codes der Waschbecken beziehen sich auf die Version mit einem Loch, falls nicht anders angegeben.

Если иное не указано, все коды для керамического бачка относятся к варианту с впусканым отверстием снизу; все коды для раковины относятся к варианту с одним отверстием для крана.

RAK-SENSATION

A symphony of grace and balance

Let the elegant shapes of RAK-Sensation capture your imagination, the new bathroom collection by RAK Ceramics.

An eclectic collection, combining aesthetic functionality and innovation.
Rimless technology, hidden fixations and symmetrical shapes underlining the soft turning of the unique and distinctive form.

Stylish and captivating RAK-Sensation defines your bathroom with natural harmony.



Lasciatevi conquistare dalle linee sinuose di RAK-Sensation, la nuova collezione bagno di RAK Ceramics.

Un progetto eclettico e ampio che unisce estetica, funzionalità e innovazione. Tecnologia Rimless, sistema di fissaggio nascosto e forme equilibrate con un particolare accento sulle morbide curve della linea unica e distintiva.

Elegante, intrigante, RAK-Sensation dona carattere e naturale armonia al vostro bagno.

Laissez-vous conquérir par les lignes sinusoïdes de RAK-Sensation, la nouvelle collection de salles de bains de RAK Ceramics.

Un projet éclectique et ample qui unit l'esthétique, la fonctionnalité et l'innovation. Technologie Rimless, système de fixation cachée et formes équilibrées, avec un accent particulier mis sur les courbes douces de la forme unique et distinctiva.

Élégante et intrigante, RAK-Sensation confère du caractère et une harmonie naturelle à votre salle de bains.

Dejáte conquistar de las líneas sinuosas de RAK-Sensation, la nueva colección de baños de RAK Ceramics. Un proyecto ecléctico y amplio que une la estética, la funcionalidad y la innovación.

La tecnología Rimless, sistema de fijaciones ocultas y formas simétricas que subrayan el suave giro de la forma única y distintiva. Elegante y cautivadora RAK-Sensation define su baño con armonía natural

Elegant und fesselnd, verleiht RAK-Sensation Ihrem Bad Charakter und eine natürliche Harmonie.

Lassen Sie sich von den gewundenen Linien von RAK-Sensation, der neuen Badkollektion von RAK Ceramics verführen.

Ein eklektisches und umfassendes Projekt, das Ästhetik, Funktionalität und Innovation vereint. Technologie Rimless, Verdecktes Befestigungssystem und ausgeglichene Formen, mit einem besonderen Akzent auf den weichen Kurven der einzigartigen und kennzeichnenden Linie.

Elegant und fesselnd, verleiht RAK-Sensation Ihrem Bad Charakter und eine natürliche Harmonie.

Элегантные формы RAK-Sensation, новой коллекции для ванной комнаты от RAK Ceramics, будоражат воображение.

Эта коллекция сочетает в себе эстетичность, функциональность и инновационность. Безободковая технология Rimless, скрытые крепления и симметричные очертания подчеркивают мягкие переходы уникальной и самобытной формы. Стиль и завораживающая красота коллекции RAK-Sensation придаст вашей ванной комнате ощущение естественной гармонии.




60 CM

52 CM

52 CM

52 CM





Quality design for international tastes

RAK Ceramics product development has created a very wide range of products with carefully finished details and quality design to suit international tastes, incorporating the latest rimless technology.

Carefully designed and engineered with the aid of the latest 3D CAD softwares and prototyped with 5 axis CNC machines, RAK Ceramics Sanitaryware range has the perfect solution for your bathroom, whatever you have imagined.

design **RAK**
CERAMICS

Rimless technology

RAK Ceramics delivers the ultimate in technology for bathroom suites. Based on similar design specifications to sanitaryware in hospitals and medical centres, RAK Ceramics Rimless water closets allows you to experience the same high standards of hygiene in your own home.

RAK Ceramics continues to set new standards of hygiene and water efficiency in the sanitaryware industry, with uniquely engineered water flushing systems that effectively remove waste, helping to keep bathrooms fresh and hygienic.

WATER SAVING

Using just 4 litres for the full flush and 2.5 litres for the half flush, water usage is reduced by a third.

HYGIENIC AND EASY TO CLEAN

The water closets have no rims to harbour germs, making cleaning quick, easy and more hygienic.


SILENT FLUSH

Rimless technology allows a faster and more silent flush.

EFFICIENT DESIGN

Design and efficiency can be successfully combined. Water flows vertically and horizontally, before flushing the entire inner surface of the bowl, without splashing.





Hidden fixation systems

Our wall hung and back to wall products are benefitting of the collaboration with Fischer Group, one of the industry leaders. The use of the most innovative Fischer fixing systems, is allowing us design freedom on the ceramic, better aesthetics and more safety for the installer.

The Hidden Fixation System is comfortable and time saving, in fact one-man installation is made possible by the clip system that keeps the ceramic held up during the installation.



60 CM
SENCT6000AWHA

52 CM
SENWC1346AWHA

52 CM
SENBD2015AWHA



52 CM
SENWC1446AWHA



55 CM
SENFS5501AWHA

52 CM
SENWC1446AWHA



65 CM
SENWB6501AWHA

52 CM
SENWC1346AWHA

52 CM
SENBD2015AWHA





60 CM
SENC5000AWHA

103 CM
PRESL10347100E

W 100 x D 46 x H 60CM
JOYWH100PWH

W 100 x D 2 x H 68CM
JOYMR10068LED



62 CM
SENWC1146AWHA
SENWT1800AWHA

Models | Modelli | Modèles | Modelos | Modelle | Модели

55 CM
SENFS5501AWHA55 CM
SENFS5500AWHAFOR WASH BASIN
PP WHITE : BTRWBPPR020FREE-FLOW
CHROME : DUO002444

Hidden Fixations

Hidden Fixations





With Flexible Hose

CLICK-CLACK
CHROME : DUO000444

No Tap Hole

Inspectionalbe

Measurements | Misure | Dimensions | Medidas | Abmessungen | Размеры



Note | Nota | Remarque | Notas | Hinweis | Примечание





All dimensions in mm tolerance $\pm 5\%$ for below 200mm and $\pm 3\%$ for above 200mm | Tutte le dimensioni hanno una tolleranza di $\pm 5\%$ mm al di sotto dei 200mm e di $\pm 3\%$ mm al disopra dei 200mm | Toutes les dimensions en mm tolérance $\pm 5\%$ pour moins de 200mm et $\pm 3\%$ pour plus de 200mm | Todas las medidas en mm con tolerancia de $\pm 5\%$ para menos de 200mm y $\pm 3\%$ para más de 200mm | Alle Abmessungen in mm, Toleranz $\pm 5\%$ für unter 200mm, und $\pm 3\%$ für über 200mm | Все размеры указаны в мм, погрешность $\pm 5\%$ ниже 200 мм и $\pm 3\%$ выше 200 мм

55 CM
SENFS5501AWHA

Models | Modelli | Modèles | Modelos | Modelle | Модели

65 CM
SENWB6501AWHA60 CM
SENWB6001AWHA55 CM
SENWB5501AWHA50 CM
SENWB5001AWHA

Measurements | Misure | Dimensions | Medidas | Abmessungen | Размеры



Note | Nota | Remarque | Notas | Hinweis | Примечание



All dimensions in mm tolerance $\pm 5\%$ for below 200mm and $\pm 3\%$ for above 200mm | Tutte le dimensioni hanno una tolleranza di $\pm 5\%$ mm al di sotto dei 200mm e di $\pm 3\%$ mm al di sopra dei 200mm | Toutes les dimensions en mm tolérance $\pm 5\%$ pour moins de 200mm et $\pm 3\%$ pour plus de 200mm | Todas las medidas en mm con tolerancia de $\pm 5\%$ para menos de 200mm y $\pm 3\%$ para más de 200mm | Alle Abmessungen in mm, Toleranz $\pm 5\%$ für unter 200mm, und $\pm 3\%$ für über 200mm | Все размеры указаны в мм, погрешность $\pm 5\%$ ниже 200 мм и $\pm 3\%$ выше 200 мм

Models | Modelli | Modèles | Modelos | Modelle | Модели

60 CM
SENCT6000AWHAFOR WASH BASIN
INOX CHROME : BTRWBSST001
ABS CHROME : BTRWBABS002

Inspectionable

Measurements | Misure | Dimensions | Medidas | Abmessungen | Размеры



RAK CERAMICS | 2020

Models | Modelli | Modèles | Modelos | Modelle | Модели

65 CM
SENWB6601AWHAH 90 CM
VN0102AWHA

VN0401AWHA





FOR WASH BASIN
INOX CHROME : BTRWBSST001
ABS CHROME : BTRWBABS002

Suitable Only for Wash Basin : SENWB65

Suitable for Only Wash Basin : SENWB65

Inspectionable |إمكانية الفتح للتحقق

Measurements | Misure | Dimensions | Medidas | Abmessungen | Размеры



Note | Nota | Remarque | Notas | Hinweis | Примечание

All dimensions in mm tolerance $\pm 5\%$ for below 200mm and $\pm 3\%$ for above 200mm | Tutte le dimensioni hanno una tolleranza di $\pm 5\%$ mm al di sotto dei 200mm e di $\pm 3\%$ mm al disopra dei 200mm | Toutes les dimensions en mm tolérance $\pm 5\%$ pour moins de 200mm et $\pm 3\%$ pour plus de 200mm | Todas las medidas en mm con tolerancia de $\pm 5\%$ para menos de 200mm y $\pm 3\%$ para más de 200mm | Alle Abmessungen in mm, Toleranz $\pm 5\%$ für unter 200mm, und $\pm 3\%$ für über 200mm | Все размеры указаны в мм, погрешность $\pm 5\%$ ниже 200 мм и $\pm 3\%$ выше 200 мм



RAK-SENSATION WITH RAK-JOY & RAK-PRECIOUS SURFACES



63 CM
PRESL06347102A
 Suitable for RAK-Sensation Counter Top WB :
60 CM



83 CM
PRESL08347102A
 Suitable for RAK-Sensation Counter Top WB :
60 CM



103 CM
PRESL10347102A
 Suitable for RAK-Sensation Counter Top WB :
60 CM



163 CM
PRESL16347102A
 Suitable for RAK-Sensation Counter Top WB :
60 CM



203 CM
PRESL20347102A
 Suitable for RAK-Sensation Counter Top WB :
60 CM



FOR VANITY
PP WHITE : BTRWBPPR021
 Inspectionable
 Compact Height

RAK-PRECIOUS - COLORS AND FINISHES

RAK-PRECIOUS - FINITURE E COLORI | RAK-PRECIOUS - FINITURES ET COULEURS
| RAK-PRECIOUS - COLORES Y ACABADOS | RAK-PRECIOUS - OBERFLÄCHEN UND
FARBEN | RAK-PRECIOUS - ЦВЕТА И ОТДЕЛКА

	100 CARRARA (LAPPATO)		103 SURFACE XL COOL GREY (NATURAL)
	101 MACAUBAS (NATURAL)		104 BEHIND GREY (NATURAL)
	102 TRAVERTIMO IVORY (LAPPATO)		105 UNI DARK BLACK (NATURAL)



60 CM
SENCT5000AWHA
 83 CM
PRESL08347103A
 W 80 x D 46 x H 60CM
JOYWH080EGY
 W 80 x D 2 x H 68CM
JOYMR08068LED

RAK-SENSATION WITH RAK-JOY & RAK-PRECIOUS SURFACES



63 CM
PRESL06347102E
 Suitable for RAK-Sensation WB :
60 / 55 / 50 CM



83 CM
PRESL08347102E
 Suitable for RAK-Sensation WB :
65 / 60 / 55 / 50 CM



103 CM
PRESL10347102E
 Suitable for RAK-Sensation WB :
65 / 60 / 55 / 50 CM



123 CM
PRESL12347102E
 Suitable for RAK-Sensation WB :
55 / 50 CM



163 CM
PRESL16347102E
 Suitable for RAK-Sensation WB :
65 / 60 / 55 / 50 CM



FOR VANITY
PP WHITE : BTRWBPPR021
 Inspectionable
 Compact Height



203 CM
PRESL20347102E
 Suitable for RAK-Sensation WB :
65 / 60 / 55 / 50 CM

RAK-PRECIOUS - COLORS AND FINISHES

RAK-PRECIOUS - FINITURE E COLORI | RAK-PRECIOUS - FINITURES ET COULEURS | RAK-PRECIOUS - COLORES Y ACABADOS | RAK-PRECIOUS - OBERFLÄCHEN UND FARBEN | RAK-PRECIOUS - ЦВЕТА И ОТДЕЛКА

	100 CARRARA (LAPPATO)		103 SURFACE XL COOL GREY (NATURAL)
	101 MACAUBAS (NATURAL)		104 BEHIND GREY (NATURAL)
	102 TRAVERTINO IVORY (LAPPATO)		105 UNI DARK BLACK (NATURAL)



60 CM
SENCT5000AWHA
 103 CM
PRESL10347100E
 W 100 x D 46 x H 60CM
JOYWH100PW
 W 100 x D 2 x H 68CM
JOYMR10068LED



60 CM
SENCT6000AWHA


83 CM
PRESL08347101A
101
MACAUBAS (NATURAL)

W 80 x D 46 x H 60CM
JOYWH080UGY


W 80 x D 2 x H 68CM
JOYMR08068LED

Touchless flushing

Enjoy the same hands free, germ free experience of commercial restrooms. With the new RAK Ceramics Touchless Flushing System, this same ease of use and minimal spreading of germs has finally expanded to the home use toilets. A sensor module mounts underneath the toilet's cistern lid and runs on four AA batteries. It utilizes emerging sensing technology, which projects an electromagnetic field that is both extremely accurate and reliable. This type of sensor detects the user in the projected field and initiates the dual flush: 6 Liters keeping the hand above the spot, or 3 Liters waving the hand.



Models | Modelli | Modèles | Modelos | Modelos | Модели





62 CM
SENWC1146AWHA
SENWT1805AWHA

Hidden Fixations
Comfort Height 42 CM

66 CM
SENWC1045AWHA
SENWT1805AWHA

Back Open
Comfort Height 42 CM

Measurements | Misure | Dimensions | Medidas | Abmessungen | Размеры



Urea RAK-Sensation
SENSC3900WH

Urea RAK-Sensation
SENSC3901WH

Urea RAK-Sensation
SENSC3900WH

Urea RAK-Sensation
SENSC3901WH

Note | Nota | Remarque | Notas | Hinweis | Примечание

All dimensions in mm tolerance $\pm 5\%$ for below 200mm and $\pm 3\%$ for above 200mm | Tutte le dimensioni hanno una tolleranza di $\pm 5\%$ mm al di sotto dei 200mm e di $\pm 3\%$ mm al di sopra dei 200mm | Toutes les dimensions en mm tolérance $\pm 5\%$ pour moins de 200mm et $\pm 3\%$ pour plus de 200mm | Todas las medidas en mm con tolerancia de $\pm 5\%$ para menos de 200mm y $\pm 3\%$ para más de 200mm | Alle Abmessungen in mm, Toleranz $\pm 5\%$ für unter 200mm, und $\pm 3\%$ für über 200mm | Все размеры указаны в мм, погрешность $\pm 5\%$ ниже 200 мм и $\pm 3\%$ выше 200 мм



Models | Modelli | Modèles | Modelos | Modelle | Модели



62 CM
SENWC1146AWHA
SENWT1800AWHA

Hidden Fixations
Comfort Height 42 CM

66 CM
SENWC1045AWHA
SENWT1800AWHA

Back Open
Comfort Height 42 CM

52 CM
SENWC1346AWHA

Hidden Fixations
Comfort Height 42 CM

52 CM
SENWC1446AWHA

Hidden Fixations

Models | Modelli | Modèles | Modelos | Modelle | Модели







48 CM
SENWC1447AWHA

Hidden Fixations



Measurements | Misure | Dimensions | Medidas | Abmessungen | Размеры



Urea RAK-Sensation
SENSC3901WH

Urea RAK-Sensation
SENSC3900WH

Urea RAK-Sensation
SENSC3901WH

Urea RAK-Sensation
SENSC3900WH

Urea RAK-Sensation
SENSC3901WH

Urea RAK-Sensation
SENSC3900WH

Note | Nota | Remarque | Notas | Hinweis | Примечание

All dimensions in mm tolerance $\pm 5\%$ for below 200mm and $\pm 3\%$ for above 200mm | Tutte le dimensioni hanno una tolleranza di $\pm 5\%$ mm al di sotto dei 200mm e di $\pm 3\%$ mm al di sopra dei 200mm | Toutes les dimensions en mm tolérance $\pm 5\%$ pour moins de 200mm et $\pm 3\%$ pour plus de 200mm | Todas las medidas en mm con tolerancia de 5% para menos de 200mm y 3% para más de 200mm | Alle Abmessungen in mm, Toleranz $\pm 5\%$ für unter 200mm, und $\pm 3\%$ für über 200mm | Все размеры указаны в мм, погрешность $\pm 5\%$ ниже 200 мм и $\pm 3\%$ выше 200 мм

RAK-SENSATION

Models | Modelli | Modèles | Modelos | Modelle | Модели


52 CM
SENBD2015AWHA52 CM
SENBD2101AWHA48 CM
SENBD2104AWHAFOR BIDET
PP WHITE : BTRBDPR011
ABS CHROME : BTRBDABS010Hidden Fixations
Comfort Height 42 CM

Hidden Fixations


Hidden Fixations

Inspectionable


Measurements | Misure | Dimensions | Medidas | Abmessungen | Размеры




21.7 Kg.



19.8 Kg.



18.0 Kg.



Note | Nota | Remarque | Notas | Hinweis | Примечание

All dimensions in mm tolerance $\pm 5\%$ for below 200mm and $\pm 3\%$ for above 200mm | Tutte le dimensioni hanno una tolleranza di $\pm 5\%$ mm al di sotto dei 200mm e di $\pm 3\%$ mm al disopra dei 200mm | Toutes les dimensions en mm tolérance $\pm 5\%$ pour moins de 200mm et $\pm 3\%$ pour plus de 200mm | Todas las medidas en mm con tolerancia de 5% para menos de 200mm y 3% para más de 200mm | Alle Abmessungen in mm, Toleranz $\pm 5\%$ für unter 200mm, und $\pm 3\%$ für über 200mm | Все размеры указаны в мм, погрешность $\pm 5\%$ ниже 200 мм и $\pm 3\%$ выше 200 мм

RAK CERAMICS
P.O. Box 4714, Ras Al Khaimah,
United Arab Emirates (U.A.E.)
Tel.: +971 7 2467000
Fax: +971 7 2445270
Email : info@rakceramics.com

RAKCERAMICS.COM

RAK
CERAMICS